

NMEA Datafönster



```
-> 13:38:09 [Serial:COM6] !AIVDM,1,1,,B,33M48N0000PmTjJQ<J:t:TFP242k,0*2DII
13:38:09 [Serial:COM6] $GPRMC,123817,A,5805.558,N,01143.861,E,0.0,0.360,0.0,020213,002.0,E*75II
-> 13:38:09 [Serial:COM6] $GPRMC,123817,A,5805.558,N,01143.861,E,0.0,0.360,0.0,020213,002.0,E*75II
13:38:09 [Serial:COM6] $GPRMB,A,,,,,,,,,V*71II
-> 13:38:09 [Serial:COM6] $GPRMB,A,,,,,,,,,V*71II
-> 13:38:09 [Serial:COM6] $ECRMB,A,0.001,L,001,002,5810.676,N,01146.650,E,5.339,16.048,0.000,V*28II
-> 13:38:09 [Serial:COM6] $ECRMC,123809,A,5805.557,N,01143.861,E,0.000,0.000,020213,2.000,E*61II
13:38:09 [Serial:COM5] !AIVDO,1,1,,,B3uBrjP000=K=:`Cnbt03w`UsP06,0*15II
-> 13:38:09 [Serial:COM6] !AIVDO,1,1,,,B3uBrjP000=K=:`Cnbt03w`UsP06,0*15II
13:38:09 [Serial:COM6] $GPGGA,123818,5805.558,N,01143.861,E,1,07,1.7,4.2,M,39.3,M,,*45II
-> 13:38:09 [Serial:COM6] $GPGGA,123818,5805.558,N,01143.861,E,1,07,1.7,4.2,M,39.3,M,,*45II
13:38:09 [Serial:COM6] $GPGSA,A,3,02,04,10,13,20,23,31,,,,,3.3,1.7,2.8*3AII
-> 13:38:09 [Serial:COM6] $GPGSA,A,3,02,04,10,13,20,23,31,,,,,3.3,1.7,2.8*3AII
13:38:10 [Serial:COM6] $GPGSV,2,1,08,02,21,313,48,04,52,273,50,10,27,280,50,13,61,208,45*7BII
-> 13:38:10 [Serial:COM6] $GPGSV,2,1,08,02,21,313,48,04,52,273,50,10,27,280,50,13,61,208,45*7BII
13:38:10 [Serial:COM6] $GPGSV,2,2,08,20,41,116,43,23,76,124,46,31,21,038,43,32,18,104,00*72II
-> 13:38:10 [Serial:COM6] $GPGSV,2,2,08,20,41,116,43,23,76,124,46,31,21,038,43,32,18,104,00*72II
13:38:10 [Serial:COM6] $PGRME,17.1,M,28.1,M,32.9,M*1AII
-> 13:38:10 [Serial:COM6] $PGRME,17.1,M,28.1,M,32.9,M*1AII
13:38:10 [Serial:COM6] $GPGLL,5805.558,N,01143.861,E,123818,A*23II
-> 13:38:10 [Serial:COM6] $GPGLL,5805.558,N,01143.861,E,123818,A*23II
13:38:10 [Serial:COM6] $PGRMZ,14,f,3*2EII
-> 13:38:10 [Serial:COM6] $PGRMZ,14,f,3*2EII
13:38:10 [Serial:COM6] $PGRMM,WGS 84*06II
-> 13:38:10 [Serial:COM6] $PGRMM,WGS 84*06II
13:38:10 [Serial:COM6] $GPBOD,,T,,M,,*47II
-> 13:38:10 [Serial:COM6] $GPBOD,,T,,M,,*47II
13:38:10 [Serial:COM6] $GPRTE,1,1,c,0*07II
-> 13:38:10 [Serial:COM6] $GPRTE,1,1,c,0*07II
-> 13:38:10 [Serial:COM6] $ECRMB,A,0.001,L,001,002,5810.676,N,01146.650,E,5.339,16.048,0.000,V*28II
-> 13:38:10 [Serial:COM6] $ECRMC,123810,A,5805.557,N,01143.861,E,0.000,0.000,020213,,,*2CII
13:38:10 [Serial:COM5] !AIVDO,1,1,,,B3uBrjP000=K=:`Cnbt03wa5sP06,0*74II
-> 13:38:10 [Serial:COM6] !AIVDO,1,1,,,B3uBrjP000=K=:`Cnbt03wa5sP06,0*74II
13:38:11 [Serial:COM5] !AIVDM,1,1,,B,13udt400000n:R6QA5IA10F`0<07,0*77II
-> 13:38:11 [Serial:COM6] !AIVDM,1,1,,B,13udt400000n:R6QA5IA10F`0<07,0*77II
```

Rubriker i Aktiv rutt-fönstret

Återuppta

- ☒ Kommandot accepterat
- ☐ Kommandot bortfiltrerat
- ☐ Utsända

NMEA Datafönster



-> 13:42:52 [Serial:COM6] \$ECRMC,124252,A,5805.560,N,01143.864,E,0.000,0.000,020213,2.000,E*63II
13:42:52 [Serial:COM6] \$GPGSV,2,1,08,02,22,312,49,04,53,270,51,10,28,281,51,13,63,208,46*75II
-> 13:42:52 [Serial:COM6] \$GPGSV,2,1,08,02,22,312,49,04,53,270,51,10,28,281,51,13,63,208,46*75II
13:42:52 [Serial:COM6] \$GPGSV,2,2,08,20,38,117,45,23,75,113,46,31,20,037,48,32,16,105,00*76II
-> 13:42:52 [Serial:COM6] \$GPGSV,2,2,08,20,38,117,45,23,75,113,46,31,20,037,48,32,16,105,00*76II
13:42:52 [Serial:COM6] \$PGRME,17.0,M,27.5,M,32.3,M*1AII
-> 13:42:52 [Serial:COM6] \$PGRME,17.0,M,27.5,M,32.3,M*1AII
13:42:52 [Serial:COM6] \$GPGLL,5805.560,N,01143.865,E,124301,A*28II
-> 13:42:52 [Serial:COM6] \$GPGLL,5805.560,N,01143.865,E,124301,A*28II
13:42:52 [Serial:COM6] \$PGRMZ,8,f,3*13II
-> 13:42:52 [Serial:COM6] \$PGRMZ,8,f,3*13II
13:42:52 [Serial:COM5] !AIVDO,1,1,,,B3uBrjP000=K<r`Cn`L03wP5sP06,0*36II
-> 13:42:52 [Serial:COM6] !AIVDO,1,1,,,B3uBrjP000=K<r`Cn`L03wP5sP06,0*36II
13:42:52 [Serial:COM6] \$PGRMM,WGS 84*06II
-> 13:42:52 [Serial:COM6] \$PGRMM,WGS 84*06II
13:42:52 [Serial:COM6] \$GPBOD,,T,,M,,*47II
-> 13:42:52 [Serial:COM6] \$GPBOD,,T,,M,,*47II
13:42:52 [Serial:COM6] \$GPRTE,1,1,c,0*07II
-> 13:42:52 [Serial:COM6] \$GPRTE,1,1,c,0*07II
-> 13:43:05 [Serial:COM6] \$ECRMB,A,0.001,R,001,002,5810.676,N,01146.650,E,5.342,16.061,0.000,V*31II
-> 13:43:05 [Serial:COM6] \$ECRMC,124305,A,5805.556,N,01143.857,E,0.000,0.000,020213,,,*20II
13:43:06 [Serial:COM6] \$GPRMC,124314,A,5805.559,N,01143.863,E,0.000,0.360,0,020213,002.0,E*79II
-> 13:43:06 [Serial:COM6] \$GPRMC,124314,A,5805.559,N,01143.863,E,0.000,0.360,0,020213,002.0,E*79II
13:43:06 [Serial:COM6] \$GPRMB,A,,,,,,,,V*71II
-> 13:43:06 [Serial:COM6] \$GPRMB,A,,,,,,,,V*71II
13:43:06 [Serial:COM5] !AIVDO,1,1,,,B3uBrjP000=K<p`Cn`l03wVUsP06,0*72II
-> 13:43:06 [Serial:COM6] !AIVDO,1,1,,,B3uBrjP000=K<p`Cn`l03wVUsP06,0*72II
13:43:06 [Serial:COM6] \$GPGGA,124314,5805.559,N,01143.863,E,1,07,1.7,1.4,M,39.3,M,,*45II
-> 13:43:06 [Serial:COM6] \$GPGGA,124314,5805.559,N,01143.863,E,1,07,1.7,1.4,M,39.3,M,,*45II
13:43:06 [Serial:COM5] \$GPRMC,124314.00,A,5805.55652,N,01143.85781,E,0.011,,020213,,,A*7EII
-> 13:43:06 [Serial:COM6] \$GPRMC,124314.00,A,5805.55652,N,01143.85781,E,0.011,,020213,,,A*7EII
13:43:06 [Serial:COM6] \$GPGSA,A,3,02,04,10,13,20,23,31,,,,,3.2,1.7,2.7*34II
-> 13:43:06 [Serial:COM6] \$GPGSA,A,3,02,04,10,13,20,23,31,,,,,3.2,1.7,2.7*34II
-> 13:43:06 [Serial:COM6] \$ECRMB,A,0.001,L,001,002,5810.676,N,01146.650,E,5.338,16.040,0.000,V*21II
-> 13:43:06 [Serial:COM6] \$ECRMC,124306,A,5805.559,N,01143.863,E,0.000,0.000,020213,,,*2BII


Rubriker i Aktiv rutt-fönstret

Återuppta

Kommandot accepterat

Kommandot bortfiltrerat

Utdata



13:35:23:

```

13:35:23: 2013-02-02
13:35:23: ----- Starting OpenCPN -----
13:35:23: Version 3.1.1328 Build 2013-01-28
13:35:23: wxWidgets version: wxWidgets 2.8.12
13:35:23: MemoryStatus: mem_total: 998 mb, mem_initial: 9 mb
13:35:23: SData_Locn is C:\Program\OpenCPN\
13:35:23: Using existing Config_File: C:\Documents and Settings\All Users\Application Data\opencpn\opencpn.ini
13:35:23: Styles loading from C:\Program\OpenCPN\uidata\styles.xml
13:35:23: No styles found at: C:\Documents and Settings\All Users\Application Data\opencpn\
13:35:23: No styles found at: C:\Documents and Settings\All Users\Application Data\opencpn\opencpn\
13:35:24: Setting Viewpoint Lat/Lon 58.0927, 11.731
13:35:24: Setting Ownship Lat/Lon 58.0927, 11.731
13:35:24: System default Language: sv_SE
13:35:24: Opencpn language set to: sv_SE
13:35:28: ChartSymbols loaded from C:\Program\OpenCPN\s57data\chartsymbols.xml
13:35:28: Using s57data in C:\Program\OpenCPN\s57data
13:35:28: Setting Viewpoint Lat/Lon 58.0927, 11.731
13:35:28: Setting Ownship Lat/Lon 58.0927, 11.731
13:35:28: Opening NMEA Datastream Serial:COM6
13:35:28: Opening NMEA Datastream Serial:COM5
13:35:29: PluginManager searching for Plugins in location C:\Program\OpenCPN\plugins
13:35:29: PluginManager: Loading Plugin: C:\Program\OpenCPN\plugins\dashboard_pi.dll
13:35:29: C:\Program\OpenCPN\plugins\dashboard_pi.dll Version detected: 106
13:35:29: PluginManager: Loading Plugin: C:\Program\OpenCPN\plugins\grib_pi.dll

```

13:35:29: C:\Program\OpenCPN\plugins\grib_pi.dll Version detected: 107
13:35:29: PluginManager: Loading Plugin: C:\Program\OpenCPN\plugins\wmm_win32_pi18_v06_pi.dll
13:35:29: C:\Program\OpenCPN\plugins\wmm_win32_pi18_v06_pi.dll Version detected: 108
13:35:29: Warning: WMM model data file C:\Program\OpenCPN\plugins\WMM.COF can't be loaded, using the bundled data.
13:35:29: Changing NMEA Datasource for AIVDO to Serial:COM5 (Priority: 0)
13:35:29: Changing NMEA Datasource for GPRMC to Serial:COM5 (Priority: 0)
13:35:29: Changing NMEA Datasource for GPRMC to Serial:COM6 (Priority: 1)
13:35:29: Changing NMEA Datasource for GPRMB to Serial:COM6 (Priority: 1)
13:35:29: ChartDB Cache policy: Application target is 499 MBytes
13:35:29: Loading chart db version: V017
13:35:29: Chartdb: Chart directory list follows
13:35:29: Chart directory #0: C:\Program\OziExplorer\Charts
13:35:29: Chart directory #1: C:\Cm93_2011
13:35:29: GPS Watchdog Timeout is: 6 sec.
13:35:29: Initializing Chart C:\Cm93_2011\
13:35:29: CM93Composite Chart Root is C:\Cm93_2011\
13:35:29: Loaded CM93 Dictionary from C:\Cm93_2011\
13:35:29: Loading CM93 cell C:\Cm93_2011\03900000/B/04200030.B
13:35:29: Changing NMEA Datasource for GPGGA to Serial:COM6 (Priority: 1)
13:35:29: Changing NMEA Datasource for GPGBS to Serial:COM5 (Priority: 0)
13:35:29: Changing NMEA Datasource for GPGSA to Serial:COM6 (Priority: 1)
13:35:30: Changing NMEA Datasource for GPGSV to Serial:COM6 (Priority: 1)
13:35:30: Changing NMEA Datasource for PGRME to Serial:COM6 (Priority: 1)
13:35:30: Changing NMEA Datasource for GPGLL to Serial:COM6 (Priority: 1)
13:35:30: Changing NMEA Datasource for PGRMZ to Serial:COM6 (Priority: 1)
13:35:30: Changing NMEA Datasource for PGRMM to Serial:COM6 (Priority: 1)
13:35:30: Changing NMEA Datasource for GPBOD to Serial:COM6 (Priority: 1)
13:35:30: Changing NMEA Datasource for GPRTE to Serial:COM6 (Priority: 1)
13:35:47: EnumerateSerialPorts() Found Garmin USB Driver.
13:35:52: Changing NMEA Datasource for AITXT to Serial:COM5 (Priority: 0)
13:35:57: Closing NMEA Datastream Serial:COM6
13:35:57: Stopping Secondary Thread
13:35:58: Stopped in 1 sec.
13:35:58: Closing NMEA Datastream Serial:COM5
13:35:58: Stopping Secondary Thread
13:35:59: Stopped in 1 sec.
13:35:59: Opening NMEA Datastream Serial:COM6
13:35:59: Opening NMEA Datastream Serial:COM5
13:36:09: Loading CM93 cell C:\Cm93_2011\03900000/C/04380024.C
13:36:09: Loading CM93 cell C:\Cm93_2011\03900000/C/04380036.C
13:36:10: Loading CM93 cell C:\Cm93_2011\03900000/D/04440033.D
13:36:24: LOGBOOK: 2013-02-02 12:36:24 UTC GPS Lat 58.09267 Lon 11.73100 COG 0.00000 SOG 0.00
13:36:52: EnumerateSerialPorts() Found Garmin USB Driver.
13:45:30: EnumerateSerialPorts() Found Garmin USB Driver.
13:45:43: Closing NMEA Datastream Serial:COM6
13:45:43: Stopping Secondary Thread
13:45:44: Stopped in 1 sec.
13:45:44: Closing NMEA Datastream Serial:COM5
13:45:44: Stopping Secondary Thread
13:45:45: Stopped in 1 sec.
13:45:45: Opening NMEA Datastream Serial:COM6
13:45:45: Opening NMEA Datastream Serial:COM5
13:48:13: EnumerateSerialPorts() Found Garmin USB Driver.
13:48:54: Closing NMEA Datastream Serial:COM6
13:48:54: Stopping Secondary Thread
13:48:55: Stopped in 1 sec.
13:48:55: Closing NMEA Datastream Serial:COM5
13:48:55: Stopping Secondary Thread
13:48:56: Stopped in 1 sec.
13:48:56: Opening NMEA Datastream Serial:COM6
13:48:56: Opening NMEA Datastream Serial:COM5
13:49:15: EnumerateSerialPorts() Found Garmin USB Driver.
13:49:34: Closing NMEA Datastream Serial:COM6
13:49:34: Stopping Secondary Thread
13:49:35: Stopped in 1 sec.
13:49:35: Closing NMEA Datastream Serial:COM5

13:49:35: Stopping Secondary Thread
13:49:36: Stopped in 1 sec.
13:49:36: Opening NMEA Datastream Serial:COM6
13:49:36: Opening NMEA Datastream Serial:COM5
13:50:01: EnumerateSerialPorts() Found Garmin USB Driver.
13:50:18: Closing NMEA Datastream Serial:COM6
13:50:18: Stopping Secondary Thread
13:50:19: Stopped in 1 sec.
13:50:19: Closing NMEA Datastream Serial:COM5
13:50:19: Stopping Secondary Thread
13:50:20: Stopped in 1 sec.
13:50:20: Opening NMEA Datastream Serial:COM6
13:50:20: Opening NMEA Datastream Serial:COM5
13:50:26: Initializing Chart C:\Program\OziExplorer\Charts\93_1.kap
13:50:26: Initializing Chart C:\Program\OziExplorer\Charts\9 Skagerack Kattegatt.kap
13:50:40: EnumerateSerialPorts() Found Garmin USB Driver.
13:51:18: PlugInManager: Deactivating PlugIn: C:\Program\OpenCPN\plugins/dashboard_pi.dll
13:51:18: PlugInManager: Deactivating PlugIn: C:\Program\OpenCPN\plugins/grib_pi.dll
13:51:18: PlugInManager: Deactivating PlugIn: C:\Program\OpenCPN\plugins/wmm_win32_pi18_v06_pi.dll
13:51:18: opencpn::MyFrame exiting cleanly.
13:51:18: Chart cache purge
13:51:18: PlugInManager: UnLoading PlugIn: C:\Program\OpenCPN\plugins/dashboard_pi.dll
13:51:18: PlugInManager: UnLoading PlugIn: C:\Program\OpenCPN\plugins/grib_pi.dll
13:51:18: PlugInManager: UnLoading PlugIn: C:\Program\OpenCPN\plugins/wmm_win32_pi18_v06_pi.dll
13:51:18: Chart cache purge
13:51:18: Closing NMEA Datastream Serial:COM6
13:51:18: Stopping Secondary Thread
13:51:19: Stopped in 1 sec.
13:51:19: Closing NMEA Datastream Serial:COM5
13:51:19: Stopping Secondary Thread
13:51:20: Stopped in 1 sec.
13:51:20: LOGBOOK: 2013-02-02 12:51:20 UTC OFF: Lat 58.09269 Lon 11.73103 COG 0.00000 SOG 0.00
13:51:20: opencpn::MyApp exiting cleanly...