

Oceanis 38


Inventory list - USA

Daysailer

Daysailer



Weekender / Cruiser



Weekender - 2 convertible cabins



Weekender - 3 convertible cabins

GENERAL SPECIFICATIONS

• L.O.A (Daysailer)	11,15 m	36'7"
• L.O.A (Weekender & Cruiser)	11,50 m	37'9"
• Hull length	11,13 m	36'6"
• L.W.L.	10,72 m	35'2"
• Beam	3,99 m	13'1"
• Light displacement (Daysailer - GTE)	6 483 kg	14,289 lbs
• Light displacement (Cruiser - GTE)	6 774 kg	14,930 lbs
• Deep draft	2,05 m	6'9"
• Deep ballast weight	1 790 kg	3,945 lbs
• Shallow draft	1,60 m	5'3"
• Shallow ballast weight	2 060 kg	4,540 lbs
• Air draft	16,55 m	54'4"
• Freshwater capacity (standard)	130 L	34 US Gal
• Freshwater capacity (optional)	200 L	53 US Gal
• Fuel capacity	130 L	34 US Gal
• Engine power	30 HP	30 HP
	POD 60	POD 60

ARCHITECT / DESIGNERS


- Naval Architect: Finot - Conq
- Interior design & Deck: Nauta Design

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	32,70 m ²	393 sq/ft
• Furling mainsail	30,00 m ²	323 sq/ft
• Genoa (103 %)	33,00 m ²	355 sq/ft
• Asymmetric spinnaker	114 m ²	1,227 sq/ft
• Code 0	65 m ²	700 sq/ft
• Tacking jib	25 m ²	269 sq/ft
• I	14,01 m	46'
• J	4,79 m	15'9"
• P	13,25 m	43'6"
• E	4,21 m	13'10"

CE CERTIFICATION

- Category A - 8 people
- Category B - 9 people
- Category C - 10 people



Cruiser - 2 cabins



Cruiser - 3 cabins

	Daysailer	Weekender (Convertible) 2C 3C	Cruiser 2C 3C
CONSTRUCTION			
<ul style="list-style-type: none"> Design made following European Directive requirements and according to EC certification Monolithic hull in polyester Monolithic structural hull liner bonded to the hull Deck injection constructed in glass fibre and Saerfoam foam sandwich, covered with "diamond-tip" type non-slip surface Hull-deck join screwed, bonded and trimmed with 1 toerail Cast iron keel fixed with bolts and stainless steel backing plates 2 Underhung rudders with stainless steel stock White colored hull - Hull decorated grey & Blue 	standard	standard	standard

DECK EQUIPMENT

RIGGING

<ul style="list-style-type: none"> Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders Anodized aluminum boom Discontinuous stainless steel standing rigging 1 Backstay: Bridle Rigid boom vang Genoa furling system with drum on the deck 2 Genoa tracks with piston adjusted traveller cars 2 Genoa sheet return blocks Rigging run back to cockpit (except boom topping lift) Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets, 2 Reefing lines, 2 Automatic reefing system 4 Clutches, 2 Jamming cleats 2 fixed points - Mainsail sheet, on the coachroof Fixed composite arch, with incorporated LED lighting 2 Blocks "Stand Up" - Mainsail sheet 	standard	standard	standard
	Pack	standard	standard

WINCHES

<ul style="list-style-type: none"> 2 Self-tailing genoa sheet winches (H40.2 STC) 1 Coach roof winch self tailing (H35.2 STC) 2 Aluminum winch handles "Speed Grip", 2 Winch handle holders 	standard	standard	standard
--	----------	----------	----------

SAILS

<ul style="list-style-type: none"> Furling genoa with UV protective strip Semi full batten logo mainsail with slider (Roller slides for fully battened mainsail) System Lazy Jack and Lazy bag in Natural color 	standard	standard	standard
--	----------	----------	----------

MOORING - ANCHORING

<ul style="list-style-type: none"> Self-bailing chain locker - Clench bolt - Hatch cover Stainless steel deck plate 6 Aluminum mooring cleats - Stainless steel deck line protection 	standard	standard	standard
---	----------	----------	----------

COCKPIT

<ul style="list-style-type: none"> Self-bailing cockpit 1 Cockpit locker 2 Lockers in cockpit bottom - Side helm's seats 1 Lifteraft locker - aft cockpit (0,95 m x 0,59 m x 0,36 m / 3'1" x 1'11" x 1'2") Cockpit benches (1,69 m x 0,50 m / 5'7" x 1'8") 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter / 2'11" - Leather covered - Steering gear at the helm station - Metal cable transmission system - Stainless steel handrail - Navigation instrument pod (optional instruments) - Glass holder 1 Deck plate for access to tiller system 1 Emergency tiller Portside engine control and control panel 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA 	standard	standard	standard
<ul style="list-style-type: none"> Cold water cockpit shower 	optional equipment	optional equipment	
<ul style="list-style-type: none"> Hot water cockpit shower/Cold water 		Pack	standard

	Daysailer	Weekender (Convertible) 2C 3C	Cruiser 2C 3C
--	-----------	-------------------------------------	------------------

SAFETY ON DECK

<ul style="list-style-type: none"> 1 Open stainless steel forward pulpit, 2 Stainless steel aft pushpits 1 Ring lifebuoy bracket, 1 Ensign staff - Bracket Double lifelines and stainless steel stanchions - Door to port and to starboard in lifeline 	standard	standard	standard
---	----------	----------	----------

SWIM DECK / STERN DECK

<ul style="list-style-type: none"> Fully opening transom, convertible into swim platform (2,60 m x 0,70 m / 8'6" x 2'4") Opened by gas cylinder - Manual, 1 Stainless steel integrated telescopic swimming ladder 2 Steering compass 		standard	standard
	standard		

INTERIOR ACCOMMODATION

<ul style="list-style-type: none"> Alpi Blond Oak joinery Brown oak laminated soles Fabric lined hull in saloon and forecabin Main salon cushions and mattress foward cabin, Foam density 24 kg/m3 	standard	standard	standard
--	----------	----------	----------

SALON

<ul style="list-style-type: none"> Headroom: 1,95 m / 6'5" Longitudinal saloon settee Storage under bench seats Chart table with Reading light - Single table top to port Shelves with wood fiddles 2 Panoramic windows - deckhouse 2 Hull ports 1 Opening deck hatch 1 Opening porthole in coaming 6 Overhead lights Saloon table with one-piece wood top - 2 feet 	standard	standard	standard
<ul style="list-style-type: none"> High, closed units Chart table (with opening top) 	Pack	Pack	

COMPANIONWAY

<ul style="list-style-type: none"> Headroom: 1,96 m / 6'5" GRP saloon companionway coated with non-slip surface on the steps 2 Sheathed stainless steel hand rails 	standard	standard	standard
---	----------	----------	----------

LARGE HANGER CLOSET - PORTSIDE

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Beam: 70 cm / 2'4" 1 Overhead light 1 Opening porthole in coaming Separate shower instead of hanger 	standard	standard	standard
		Pack	

FORWARD CABIN

<ul style="list-style-type: none"> Headroom: 1,95 m / 6'5" Central double bed (1,50 m x 2,08 m x 1,08 m / 4'11" x 6'10" x 3'7") Glove box - Open shelving - Drawer under the bed 1 Flush opening deck hatch 2 Hull ports 2 Reading lights 	standard	standard	standard
Additional equipment for privative version <ul style="list-style-type: none"> Bulkhead - Door of access Curtains 2 Stools, in the salon 2 Overhead lights 2 Longchamp hanging luggages 		Pack	standard
		optional equipment	

	Daysailer	Weekender (Convertible)		Cruiser	
		2C	3C	2C	3C

GALLEY - STARBOARD

<ul style="list-style-type: none"> Headroom: 1,97 m / 6'6" Laminated worktop - Taupe 1 Stainless steel sink - 1 Rectangular stainless steel basin - 1 Tap with cold water, under pressure Cubby hole locker, Garbage bin 1 Lower cupboard: 1 Shelving (the fitted refrigerator in the Cuisine Pack version comes in place of this layout) 1 All-round coachroof window 	standard	standard	standard
Additional equipment for fitted galley <ul style="list-style-type: none"> Gas system: Gas cylinder locker - starboard aft cockpit - (25 X 27 X 40 cm / 10" x 11" x 15") - Regulator and solenoid 1 Stainless steel 2 burner gas oven cooker on mounting Unit - Cooker (Drawer & Cupboards) Fridge - 12 V - 130 L, front opening 		Pack	standard

STARBOARD AFT

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Interior stowage space, for 2 cabins versions Direct access from the saloon Allows direct access to the cockpit locker Separate shower (instead of interior stowage space) 	standard	standard	standard
Additional equipment for privative cabin version <ul style="list-style-type: none"> Bulkhead with 1 access door 1 Overhead light Open shelving Padding upholstery along the hull Curtains cabin & salon Opening portholes: Roof & Cockpit Dimensions - Berths: 1,50 m x 2,00 m x 1,65 m / 4'11" x 6'7" x 5'5" 1 Longchamp hanging luggage 		Pack	standard

PORT AFT

<ul style="list-style-type: none"> Headroom: 1,85 m / 6'1" Interior stowage space 	standard	standard	standard
Additional equipment for privative cabin version <ul style="list-style-type: none"> Bulkhead with 1 access door 2 Reading lights 1 Overhead light Open shelving Padding upholstery along the hull Curtains cabin & salon Opening portholes: Roof & Cockpit 		Pack	standard
<ul style="list-style-type: none"> Dimensions - Berth (2 cabins version) : 1,65 m x 2,18 m x 2,05 m / 5'5" x 7'2" x 6'9" 	Pack		standard
<ul style="list-style-type: none"> Dimensions - Berth (3 cabins version): 1,50 m x 2,00 m x 1,65 m / 4'11" x 6'7" x 5'5" 		Pack	standard
<ul style="list-style-type: none"> 1 Longchamp hanging luggage 		optional equipment	standard

STARBOARD AFT HEAD COMPARTMENT

<ul style="list-style-type: none"> Headroom: 1,89 m / 6'2" Access through salon 1 Sink, 1 Tap with cold water, Shower 1 Manual marine toilet Washroom cabinet, 1 Mirror, Toilet accessories, Hook 1 Opening portlight with curtains in side windows in the coaming 	standard	standard	standard
<ul style="list-style-type: none"> 1 Overhead light 1 Mixing tap hot water/Cold water 		Pack	

	Daysailer	Weekender (Convertible) 2C 3C	Cruiser 2C 3C
ENGINE			
• Engine Yanmar Diesel 30 hp / 30 HP Sail Drive	standard	standard	standard
• Yanmar Diesel Dock & Go POD 60 engine (Swivel Sail Drive base, Joystick, Vessel Management Unit (VMU), Bow thruster, Auto pilot)	optional equipment	optional equipment	optional equipment
• Engine control - Control panel in cockpit • Engine compartment: Soundproofing foam - Ventilation: 2 air intakes and 1 powered air expulsion • 1 Alternator - 12 V / 125 Ah • 1 Rotomoulded diesel tank 130 L / 34 US Gal - Electronic gauge - Low level alarm - 1 Deck filler • Filters: Sea water - Diesel - Decanter • Fixed three blades propeller • 1 Engine access through companionway (opening with 2 gas pistons) - 3 access to engine by the sides of the companionway	standard	standard	standard

ELECTRICITY			
• Advanced 12 V circuit			
• 1 Service battery (80 Ah) - 1 Engine battery (80 Ah) • 1 Charge divider • 12 V electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning) • 1 12 V Power outlet • Navigation lights: 1 Navigation light - 1 Engine navigation light - 1 Mooring light on masthead • Wire runs for options cables	standard	standard	standard
• Full 12 / 110 V system: Inside sockets, 40 Amp battery charger, Shore power socket • 2 80 Amp additional service batteries • Navigation light & Interior lights LED		Pack	Pack

	Daysailer	Weekender (Convertible) 2C 3C	Cruiser 2C 3C
PLUMBING			
• 1 Rotomolded freshwater tank (130 L / 34 US Gal) • 1 Deck filler • Water unit • 1 Rigid holding tank 80L / 21 US Gal • Electric & Shower draining • 1 Electric bilge pump - 1 Manual bilge pump	standard	standard	standard
• Water heater (25 L / 7 US Gal) • Additional freshwater supply (200 L / 53 US Gal) • Plumbing board + Expansion tank		Pack	standard

	Daysailer	Weekender	Cruiser
Fitted galley Pack		optional equipment	standard

- Gas system: Gas cylinder locker - starboard aft cockpit (25 x 27 x 40 cm / 10" x 11" x 15") - Regulator and solenoid
- 1 Stainless steel 2 burner gas oven cooker on mounting
- Unit (Drawer & Cupboards)
- Fridge 12 V - 130 L, front opening

Private forecabin Pack		optional equipment	standard
-------------------------------	--	--------------------	----------

- Bulkhead - Door of access
- Curtains
- 2 Stools, in the salon
- 2 Overhead lights
- 2 Longchamp hanging luggages (Only included in Cruiser version as standard, Not included in this pack in Weekender version - Separate option only)

Aft cabins Pack		optional equipment	standard
------------------------	--	--------------------	----------

- Headroom: 1,95 m / 6'5"
- Foam mattress density: 24 kg/m3
- Bulkhead with 1 access door
- 2 Reading lights
- 1 Overhead light
- Open shelving
- Padding upholstery along the hull
- Curtains cabin & salon
- Opening portholes: Roof & Cockpit
- 1 Longchamp hanging luggage (Only included in Cruiser version as standard, Not included in this pack in Weekender version - Separate option only)

Additional stowage in the saloon Pack	optional equipment	optional equipment	standard
--	--------------------	--------------------	----------

- High, closed units (Salon - portside, Starboard)
- Chart table (with opening top)

	Daysailer	Weekender	Cruiser
Aqua Pack		optional equipment	standard

- Cold water/hot water
- Water heater - 25 L / 7 US Gal - engine run (+ 110 V, if Electricity Pack)
- Additional freshwater supply- 200 L / 53 US Gal
- Hot/cold cockpit shower
- Plumbing board + Expansion tank
- Separate shower (to starboard for 2 cabins versions, to port for 3 cabins versions)

Electricity Pack		optional equipment	optional equipment
-------------------------	--	--------------------	--------------------

- Full 110 V system: 5 Inside sockets, 40 Amp battery charger, Shore power socket
- 2 80 Amp additional service batteries
- LED Navigation light & Indirect LED Interior lighting

Exterior equipments Pack	optional equipment	standard	standard
---------------------------------	--------------------	----------	----------

- Fixed composite arch with incorporated LED lighting
- 2 Blocks "Stand Up" - Mainsail sheet
- Aft swim platform

Mooring Pack		optional equipment	optional equipment
---------------------	--	--------------------	--------------------

- Electric windlass - 1000 W + Remote control
- Bow roller
- Mooring kit (Anchor-Chain-Line)

Outside protections Pack	optional equipment	optional equipment	optional equipment
---------------------------------	--------------------	--------------------	--------------------

- Docklines
- Fenders
- White PVC protective covers (Steering wheel consoles)
- 2 Halyard bags

Pack Electronic	optional equipment	optional equipment	optional equipment
------------------------	--------------------	--------------------	--------------------

Pack A

- SonicHub stereo with Bluetooth
- Nav trfunction B&G
- Wind system B&G
- US VHF Simrad RS35
- VHF Smirad wireless handset

Pack B

- Chartplotter Zeus 7 ext
- Cartography B&G US
- Smirad wifi module

	Daysailer	Weekender	Cruiser	Module for altering the boat		Daysailer	Weekender	Cruiser	Module for altering the boat
INTERIOR					OUTSIDE				
Fitted galley Pack		optional equipment	standard	Yes	Exterior equipments Pack	optional equipment	standard	standard	Yes
Private forecabin Pack		optional equipment	standard	Yes	Mooring Pack		optional equipment	optional equipment	Not (1)
Aft cabins Pack		optional equipment	standard	Yes	Outside protections Pack	optional equipment	optional equipment	optional equipment	Yes
Aqua Pack		optional equipment	standard	Not (1)	Pack Electronic	optional equipment	optional equipment	optional equipment	Yes
Additional stowage in the saloon Pack	optional equipment	optional equipment	standard	Yes					
Electricity Pack		optional equipment	optional equipment	Not (1)	(1) to be selected following definition of the boat				

"Tailor-made" options:

Rigging - Sails

- Asymmetric spinnaker rigging
- Self-tacking jib hardware
- Removable forestay + Tackle
- Chain plate (Releasable Forestay)
- Electric winch - genoa sheet H46.2STCEH, instead of standard
- Port electric coachroof winch H40.STCEH, instead of standard
- Coach roof winch to starboard - manual H35.2STC + Clutches, instead of standard
- Asymmetric spinnaker
- Tacking jib (Replacing the genoa)
- Code 0 on furler
- Anodized mast furling system with mainsail
- Easy Sail (Genoa traveller adjustment from cockpit, Clutches on genoa sheet blocks, Backstay adjustment - Except on mast with in-mast furling)
- 2 Flag halyards

Hull - Deck - Cockpit

- Inflatable gangway
- Inflatable swimming pool
- Pump for tender or inflatable structure (12 V)
- Mount for the outboard engine - Bracket
- Bow thruster
- Shore freshwater supply
- Sea water foot pump
- 3 Blades propeller
- "Window Grey" hull
- Windlass control in cockpit with chain counter - TV
- 1st bow roller
- 2nd bow roller + Bobstay
- Helm seats
- Solid wood slatted helm seats
- Silver Cockpit cushions
- Cockpit table - Removable (Interior/ Outside)
- Cockpit table - De Luxe
- PVC cover (White), Cockpit table - "De Luxe"
- Solid wood decking on cockpit bottom + Cockpit benches
- Solid wood slatted aft platform
- Cockpit shower

B&G Electronic

- Multifunction screen B&G Zeus T7, Port cockpit
- Multifunction screen B&G Zeus T8, Chart table
- Pilot B&G AC42 + Control
- 4G Radar
- Simrad RS35 VHF, function AIS receiver
- Module - Wifi
- AIS 400

Interior equipment

- TV LCD 22" in the salon, Player DVD
- Interior upholstery PVC Taupe (HR24kg/m³ foam)
- Comfort Interior upholstery (Chine Beige or Chine Moka fabric), Salon & Mattress (HR35kg/m³ foam)
- Double berth in salon
- Slatted bed base
- Microwave
- Forced air heating fuel
- Air conditioning
- Screens
- Inverter - 12 V
- VacuFlush electric toilet (Holding tank: 53 L / 14 US Gal, instead of standard)
- Longchamp hanging luggage
- Accessory set Longchamp (2 shirt covers, 2 toiletry bags)
- Additional stool in salon
- Salon table
- Wooden companionway steps
- SonicHub (Radio, USB) - Interior speakers - Outside speakers
- Briefcase
- TV antenna
- VHF antenna
- Longchamp hanging luggage

