

2014 Option List

Purchaser			USD
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	110v	449,000
	DESTINATION	Ft Lauderdale, FL, USA	
INTERIOR			
L44-1300	Full length mirrors behind cabin doors - 4 off	537	<input type="checkbox"/>
L44-1301	Full length mirrors for 3-Cabin Layout - 3 off	407	<input type="checkbox"/>
L44-1320	Extra storage lockers in lieu of settee in owner's stateroom (3-cabin layout)	0	<input type="checkbox"/>
L44-1350	Forepeak child berths, including mattresses for 4 cabin layout- 2 off	2,689	<input type="checkbox"/>
L44-1351	Forepeak child berth for 3-Cabin Layout, including mattress - 1 off	1,374	<input type="checkbox"/>
L44-1600	Interior saloon blinds	4,001	<input type="checkbox"/>
L44-1700	Saloon table convertible to coffee table	950	<input type="checkbox"/>
L44-1750	Saloon table convertible to coffee table and/or double bunk complete with cushions	1,673	<input type="checkbox"/>
L44-1760	Saloon table convertible to double bunk complete with cushions	710	<input type="checkbox"/>
L44-1900	Stainless steel upholstered swing seat at study desk for 3-Cabin Layout	796	<input type="checkbox"/>
ENGINES & DRIVE			
L44-2000	Yanmar 3JH5CE 39hp engines with sail drives in lieu of std engines - 2 off	5,943	<input type="checkbox"/>
L44-2110	Brunton folding prop upgrade for optional Yanmar 39hp engines with sail drive in lieu of std fixed	4,540	<input type="checkbox"/>
NAVIGATION & ELECTRONICS			
L44-3200	Sony CD player with two Polyplanar speakers in saloon and two Bose marine speakers in cockpit	1,423	<input type="checkbox"/>
L44-3210	CD wired remote at helm station	453	<input type="checkbox"/>
L44-3220	External Bose 131 portable foredeck speakers, including fader and amplifier	1,531	<input type="checkbox"/>
L44-3305	Raymarine Base Pack: includes Ray55 VHF at navstation, p70 color autopilot, e7 chartplotter with WiFi, i60 wind instrument & i50 Tridata speed, log & depth instrument with retract. depth & speed transducers.	11,357	<input type="checkbox"/>
L44-3307	Raymarine Color Upgrade: 2x i70 color instrument displays, in lieu of i60 wind instrument and i50 Tridata. Note:- This option requires option L44-3305.	1,129	<input type="checkbox"/>
L44-3310	Ravmic 2nd station VHF at helm for Rav55	314	<input type="checkbox"/>
L44-3316	e9 Hybridtouch multifunction display with WiFi at helmstation in lieu of e7 chartplotter with WiFi	2,143	<input type="checkbox"/>
L44-3335	Raymarine Wireless Remote Controller	957	<input type="checkbox"/>
L44-3341	Digital Radar: includes 4kw 18" 48nm digital Radome scanner c/w mast bracket and genoa protection. Note: requires at least one e-series MFD on board.	3,357	<input type="checkbox"/>
L44-3346	Fishfinder – fitted in conjunction with 1 x e-series MFD (helm station only): includes DSM30 digital sounder module, P319 (600W) depth transducer, network cable & switch. Note: This option	2,357	<input type="checkbox"/>
L44-3350	Zone B compass in lieu of std zone A compass	0	<input type="checkbox"/>
L44-3360	Zone C compass in lieu of std zone A compass	0	<input type="checkbox"/>
ELECTRICAL			
L44-4100	110 volt Shore Power Pack: includes 2 heavy duty 50 ft 30 amp shore power lines, AC switch	5,616	<input type="checkbox"/>
L44-4110	220 volt Shore Power Pack: includes 2 heavy duty 50 ft 30 amp shore power lines, AC switch panel, HWC 220 volt conversion, AC outlets in cabins, galley, at freezer and switch panel	5,616	<input type="checkbox"/>
L44-4150	Battery charger 60amp	1,257	<input type="checkbox"/>
L44-4200	Shaver outlets in heads, 110 volt with GFI protection for 4 cabin layout — 4 off. (Only for boats with 110 volt systems, option L44-4100)	956	<input type="checkbox"/>
L44-4201	Shaver outlets in heads, 110 volt with GFI protection for 3 cabin layout — 3 off. (Only for boats with 110 volt systems, option L44-4100)	716	<input type="checkbox"/>
L44-4210	Shaver outlets in heads, combination 220 volt/110 volt with transformer current protection—4 off. (Only for boats with 220 volt systems, option L44-4110)	1,183	<input type="checkbox"/>
L44-4211	Shaver outlets in heads, combination 220 volt/110 volt with transformer current protection for 3 cabin layout—3 off. (Only for boats with 220 volt systems, option L44-4110)	896	<input type="checkbox"/>
L44-4300	Inverter/Battery Charger: Trace 110 volt/2.0 kilowatt/100 amp, including remote operation panel with battery monitor (only for boats with 110 volt systems, option L44-4100)	4,290	<input type="checkbox"/>
L44-4315	Inverter/Battery Charger: Magnum 200 volt/2.7 kilowatt/12 volt #MS2712E including remote operation panel (only for boats with 220 volt systems, option L44-4110)	5,156	<input type="checkbox"/>
L44-4400	Battery monitor to provide status on house batteries (not to be ordered if inverter/charger option 4300/4315 chosen as a monitor is included.)	286	<input type="checkbox"/>
L44-4500	Upgrade standard Lead Acid house and engine batteries to AGM batteries	964	<input type="checkbox"/>
L44-4510	One additional AGM house battery (210 Ahr) - House battery note: A maximum of one additional	829	<input type="checkbox"/>
L44-4600	Ventilation fans in saloon (2) and cabins (4) - 6 off	871	<input type="checkbox"/>
L44-4601	Ventilation fans in saloon (2) and cabins (3) for Three Cabin Layout - 5 off	671	<input type="checkbox"/>
L44-4900	Windlass "up" footswitch	207	<input type="checkbox"/>
L44-5200	Genset - Northern Lights 6 kW supplied from aft fuel tank	24,386	<input type="checkbox"/>

L44-5250	Air-conditioning System Cruisair 2 off - 16,000 BTU 110 volt	14,803	<input type="checkbox"/>	
L44-5255	Air-conditioning System Cruisair 2 off - 16,000 BTU 220 volt	14,803	<input type="checkbox"/>	
L44-5420	Winches: Electric Sheet winch - Lewmar 45CEST - 1 off (in lieu of standard), port	2,747	<input type="checkbox"/>	
L44-5670	Provision for TV/DVD in saloon - bracket and AC outlet	227	<input type="checkbox"/>	
L44-5700	Solar panels 70w each fitted to hard top - 2 off	3,811	<input type="checkbox"/>	
L44-5710	Solar panels 70w each fitted to hard top - 4 off	6,914	<input type="checkbox"/>	
L44-5800	Underwater Lights - 4 x Blue mounted in stern	4,557	<input type="checkbox"/>	

PLUMBING

L44-6151	Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilet for Three Cabin Layout - 1 off only for Owner's Head	866	<input type="checkbox"/>	
L44-6153	Electric flushing toilets: Jansco quiet flush (seawater option) in lieu of standard toilets for 3-Cabin Layout - 3 off	2,597	<input type="checkbox"/>	
L44-6154	Electric flushing toilets: Jabsco quiet flush (seawater option) in lieu of standard toilets - 4 off	3,451	<input type="checkbox"/>	
L44-6200	Combination mixer shower faucet in galley in lieu of standard faucet	110	<input type="checkbox"/>	
L44-6300	Extra water tank 220 liter/58 US gallon - 1 off	1,097	<input type="checkbox"/>	
L44-6500	Watermaker: Spectra Newport 400 (12 volt), 63 liter/17 US gallon per hour; includes MPC-3000	20,909	<input type="checkbox"/>	
L44-6510	Watermaker: Spectra Newport 400 (12 volt), 63 liter/17 US gallon per hour; incl MPC-3000	23,777	<input type="checkbox"/>	
L44-6800	Deck wash fitting and pump - dual fresh/salt water system	866	<input type="checkbox"/>	
L44-6850	Stern shower: Hot/cold water in lieu of cold only	263	<input type="checkbox"/>	

HEATING, REFRIGERATION & GAS

L44-7100	LPG Gas outlet on stern rail for optional barbeque	497	<input type="checkbox"/>	
L44-7750	Raritan Icer-ette 85 icemaker installed in galley (110 volt) - trash bin moved to under sink (Only for boats with 110 volt systems, option L44-4100)	2,091	<input type="checkbox"/>	
L44-7751	Raritan Icer-ette 85 icemaker installed in galley (220 volt) - trash bin moved to under sink (Only for boats with 220 volt systems, option L44-4110)	2,270	<input type="checkbox"/>	

DECK & HULL

L44-8115	Removable helm seat spray dodger	586	<input type="checkbox"/>	
L44-8120	Cockpit side and back shade curtains only	2,091	<input type="checkbox"/>	
L44-8135	Forward cockpit splash cover	956	<input type="checkbox"/>	
L44-8150	Coach roof side window removable shade covers	716	<input type="checkbox"/>	
L44-8310	Helm seat cushion - white	430	<input type="checkbox"/>	
L44-8500	Leather covered steering wheel	343	<input type="checkbox"/>	
L44-8600	Custom stainless steel davit system with tackle complete with electric winch	4,640	<input type="checkbox"/>	
L44-8900	Composite teak decking in aft and forward cockpits, helm platform and transom steps	10,714	<input type="checkbox"/>	

SAILS & RIGGING

L44-9100	Gennaker running rigging	866	<input type="checkbox"/>	
L44-9120	Adjustable main outhaul led to helm station	299	<input type="checkbox"/>	
L44-9300	Standard 1.5oz Gennaker - choice of 12 x colors complete with dousing sock	2,987	<input type="checkbox"/>	
L44-9400	Boom Cover (Quantum stack pack)	1,434	<input type="checkbox"/>	
L44-9500	Bowsprit complete with furler and Code 0	10,156	<input type="checkbox"/>	
L44-9600	Shortened rig: Mast height reduced by 5' from standard 68' above design waterline (half load) to	279	<input type="checkbox"/>	
L44-9700	Square Top mainsail in lieu of standard main	716	<input type="checkbox"/>	

GENERAL EQUIPMENT

L44-9903	55lb (25kg) Delta anchor complete with 165ft (50m) chain	1,913	<input type="checkbox"/>	
L44-9911	35lb (16kg) Britany anchor complete with 26ft (8m) chain & 200ft (61m) warp	981	<input type="checkbox"/>	
L44-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	417	<input type="checkbox"/>	
L44-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	956	<input type="checkbox"/>	
L44-9918	Anchor bridle, shackles and hook	321	<input type="checkbox"/>	
L44-9920	Fenders (6 off), moorings lines (4 off 18mm x 10m), spring lines (2 off 18mm x 15m)	860	<input type="checkbox"/>	

COMMISSIONING

L44-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching and stepping of mast, installation of sails and rigging, commissioning of equipment and sea trials, 3 days marina fees at RCYC and CE certificate	11,434	<input type="checkbox"/>	
	Australia Regulation Package	5,469	<input type="checkbox"/>	
	USCG Safety Package including 8 man life raft, U-bolts and tie downs	4,373	<input type="checkbox"/>	
	CE Safety Package including 8 man life raft, U-bolts and tie downs	5,074	<input type="checkbox"/>	
	Cape Town hand-over including full detailing, full fuel tanks, and 3 days of dockage in V&A Waterfront	4,107	<input type="checkbox"/>	
	Water Delivery *	32,000	<input type="checkbox"/>	
	Post delivery commissioning	8,067	<input type="checkbox"/>	
	Freight Delivery *	42,000	<input type="checkbox"/>	

USD

Total Options	0
---------------	---

Total Purchase Price (ex-tax)	449,000
-------------------------------	---------

Purchaser _____ Date _____

Purchaser _____ Date _____

Dealer _____ Date _____

**In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and is subject to change*

Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit